10.4 Forecasting

Name: _____ Class: _____ Date: _____ **Total: 15 marks**

KEY WORDS moving average • mean absolute deviation


Objective

Run naive, moving-average, smoothing and trend forecasts, and score them with the MAD on the same weeks.

1 Key knowledge and worked examples

■ Methods and the scoreboard

Naive $F_{t+1} = A_t$. Moving average of the last n. Smoothing $F_{t+1} = F_t + \alpha(A_t - F_t)$. Trend by least squares. $MAD = \text{mean}|A - F|$ - compare on the same weeks.



Shape picks the method; the MAD keeps score

■ Worked example. Bun demand

Naive MAD 37.1, MA3 52.0, ES(0.4) 48.3 ✓; trend $395.7 + 24.3x$ gives 614 for week 9 ✓.

2 Practice

Coffee sales, six weeks: 300, 330, 320, 360, 350, 390.

2.1 Naive forecasts for weeks 2-6, the errors and the MAD. [3]

2.2 Three-week moving averages for weeks 4-6, the errors and the MAD. [4]

2.3 Exponential smoothing, $\alpha = 0.5$, seed 300: forecasts for weeks 2-7 and the MAD over weeks 2-6. [4]

2.4 The least-squares trend (slope to two decimals) and its week-7 forecast. Which method would you quote, and why? [4]