

12.2 Architecture and design

Name: _____ Class: _____ Date: _____

Total: 24 marks

KEY WORDS dependency rule • coupling

Objective

Count coupling and cohesion and read a sequence diagram.

1 Key knowledge and worked examples

■ The rule

Three layers; dependencies point inward – the domain knows no framework ✓.

■ Worked example: the counts

Loan-rule change: 1 module, 2 files. The smeared version: 3 layers, 5 files ✓. The borrow sequence: four participants, five labelled messages ✓.

2 Practice

2.1 Which layer owns the limit rule, and why there? [3]

2.2 What does “the domain knows no framework” buy? [3]

2.3 Name the four participants of the borrow sequence. [3]

3 Exam-style questions

3.1 A teammate proposes moving the limit check into the presentation layer “because the button is there”.

State which principle is violated and the cost, using the file counts. Give the layered design (one sentence per layer’s job). Redraw the sequence in words if the check moves: name the new message flow and what storage must now validate. [8]

3.2 Reminder delivery today is email; the product wants push for mobile users.

State where the Notifier boundary sits and why the domain never names email or push. Give the swap’s cost and the suite’s proof that FR-3 still holds. Name the design metric this improves. [7]

Solutions

2.1

- The domain – the limit is a loan rule, not a screen concern ✓.

2.2

- Testability without browser or database, and swap of outer layers ✓.

2.3

- Member, presentation, domain, storage ✓.

3.1

- Violated: the dependency rule (dependencies point inward) and cohesion – the loan rule leaves the loans module ✓.
- Cost: the same rule now touches 3 layers, 5 files instead of 1 module, 2 files – every change multiplies ✓.
- Layered design: presentation renders and collects input; domain decides (limits, statuses, dates); storage persists and reads ✓.
- Moved check: presentation calls storage directly; storage must now validate the limit (rules leak into the database layer) – the sequence gains a presentation-storage arrow and the domain is bypassed ✓.

3.2

- The Notifier interface sits at the domain's edge; delivery implementations live outside – the domain calls the interface only ✓.
- The domain naming email would couple it to a channel that changes; naming nothing keeps the rule pure ✓.
- Swap cost: one configuration line (register push as the implementation); zero domain edits ✓.
- The suite's proof: swap in a test double notifier, run FR-3's acceptance test (reminder count = overdue days) – still green ✓.
- Metric: coupling down (the domain depends on an abstraction, not a channel) ✓.